

National Releaf Body Lotion 750mg/75ml

Sample ID: 1912CSALA1785.9311

Strain: National Lotion

Matrix: Topical

Type: Lotion

Sample Size: 1 units

Batch Size:

Batch#: LOT # K9060

Produced: N/A

Collected: 12/26/2019

Received: 12/26/2019

Completed: 01/13/2020

Client

P&B Essentials, LLC

Lic. #

1190 N Lake St

Pasadena, CA 91104



Summary

Pass

10.48 mg/ml	Pass	Pass
Total Cannabinoids	Pesticides	Residual Solvents
Pass	Pass	Pass
Microbials	Mycotoxins	Heavy Metals

Cannabinoids

Testing method: HPLC-SOP 101

Pass

Analyte	LOD	LOQ	Results	Results
	mg/ml	mg/ml	mg/ml	mg/package
CBD	0.00037	0.001	9.54	715.50
CBC	0.00014	0.001	0.46	34.50
Δ9-THC	0.00042	0.001	0.29	21.75
CBG	0.00037	0.001	0.10	7.50
CBDa	0.0002	0.001	0.09	6.75
CBDV	0.0001	0.001	ND	ND
CBGa	0.0002	0.001	ND	ND
CBN	0.00016	0.001	ND	ND
THCa	0.00022	0.001	ND	ND
THCV	0.00039	0.001	ND	ND
Δ8-THC	0.00042	0.001	ND	ND
Total			10.48	786.00

0.29 mg/ml	9.62 mg/ml
Total THC	Total CBD

1 serving = 1 Tube, 75.0 milliliters; Density = 1.0 g/ml; 1.0 servings per package; 21.75 mg/package Total THC; 721.42 mg/package Total CBD;

Date Tested: 12/27/2019

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

 Notes
 NATIONAL

Terpenes

Testing method: HS-GC-FID - SOP 201

Complete

Analyte	LOD	LOQ	Results	Results
	%	%	%	mg/g
β-Myrcene	0.00012	0.0013	0.05	0.50
δ-Limonene	0.00016	0.0013	0.04	0.40
Camphene	0.00072	0.0013	ND	ND
Caryophyllene Oxide	0.00017	0.0013	ND	ND
Eucalyptol	0.00017	0.0013	ND	ND
Geraniol	0.00013	0.0013	ND	ND
Guaiol	0.00018	0.0013	ND	ND
Isopulegol	0.00011	0.0013	ND	ND
Linalool	0.00015	0.0013	ND	ND
Ocimene	0.00013	0.0013	ND	ND
p-Cymene	0.0001	0.0013	ND	ND
Terpinolene	0.00016	0.0013	ND	ND
trans-Nerolidol	0.00058	0.0013	ND	ND
α-Bisabolol	0.00015	0.0013	ND	ND
α-Humulene	0.00057	0.0013	ND	ND
α-Pinene	0.00015	0.0013	ND	ND
α-Terpinene	0.00012	0.0013	ND	ND
β-Caryophyllene	0.00017	0.0013	ND	ND
β-Pinene	0.00034	0.0013	ND	ND
γ-Terpinene	0.00012	0.0013	ND	ND
δ-3-Carene	0.0004	0.0013	ND	ND
Total			0.09	0.91

Date Tested: 12/26/2019

NT	NT	Pass
Moisture	Water Activity	Foreign Matter
Moisture Analyzer SOP-103	Water Activity Meter SOP-102	Visual Inspection SOP-600
-	-	Date Tested: 12/26/2019


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653



 Mallory Speakman
 Laboratory Director - LA
 01/13/2020



 Anya Engen
 Quality Review
 01/13/2020



 Amanda Bravo
 COA Review
 01/13/2020

National Releaf Body Lotion 750mg/75ml

Sample ID: 1912CSALA1785.9311

Strain: National Lotion

Matrix: Topical

Client

Type: Lotion

Produced: N/A

P&B Essentials, LLC

Sample Size: 1 units

Collected: 12/26/2019

Lic. #

Batch Size:

Received: 12/26/2019

1190 N Lake St

Batch#: LOT # K9060

Completed: 01/13/2020

Pasadena, CA 91104

Pesticides

Pass

Testing method: LCMS & GCMS-SOP 301 and 302

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.3	ND	Pass	Fludioxonil	0.0143	0.048	30.0	ND	Pass
Acephate	0.005	0.017	5.0	ND	Pass	Hexythiazox	0.0237	0.079	2.0	ND	Pass
Acequinocyl	0.0193	0.064	4.0	ND	Pass	Imazaili *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	5.0	ND	Pass	Imidacloprid	0.0053	0.018	3.0	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	1.0	ND	Pass
Azoxystrobin	0.015	0.05	40.0	ND	Pass	Malathion	0.015	0.05	5.0	ND	Pass
Bifenazate	0.0129	0.043	5.0	ND	Pass	Metaxyl	0.0076	0.025	15.0	ND	Pass
Bifenthrin	0.029	0.097	0.5	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	10.0	ND	Pass	Methomyl	0.0109	0.036	0.1	ND	Pass
Captan	0.036	0.12	5.0	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	9.0	ND	Pass
Chlorantraniliprole	0.0095	0.032	40.0	ND	Pass	Naled	0.0107	0.036	0.5	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.2	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclobotrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.2	ND	Pass
Clofentezine	0.0216	0.072	0.5	ND	Pass	Permethrin	0.0142	0.048	20.0	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.2	ND	Pass
Cyfluthrin	0.0107	0.036	1.0	ND	Pass	Piperonyl Butoxide	0.0156	0.052	8.0	ND	Pass
Cypermethrin	0.0105	0.035	1.0	ND	Pass	Prallethrin	0.018	0.06	0.4	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	20.0	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.2	ND	Pass	Pyrethrins	0.0025	0.008	1.0	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	3.0	ND	Pass
Dimethomorph	0.0025	0.008	20.0	ND	Pass	Spinetoram	0.0042	0.014	3.0	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	3.0	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	12.0	ND	Pass
Etoxazole	0.0269	0.09	1.5	ND	Pass	Spirotetramat	0.0068	0.023	13.0	ND	Pass
Fenhexamid	0.0215	0.072	10.0	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	2.0	ND	Pass
Fenpyroximate	0.0253	0.084	2.0	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	4.5	ND	Pass
Flonicamid	0.0073	0.024	2.0	ND	Pass	Trifloxystrobin	0.0192	0.064	30.0	ND	Pass

Date Tested: 12/27/2019

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 01/13/2020

 Anya Engen
 Quality Review
 01/13/2020

 Amanda Bravo
 COA Review
 01/13/2020

National Releaf Body Lotion 750mg/75ml

Sample ID: 1912CSALA1785.9311

Strain: National Lotion

Matrix: Topical

Client

Type: Lotion

Produced: N/A

P&B Essentials, LLC

Sample Size: 1 units

Collected: 12/26/2019

Lic. #

Batch Size:

Received: 12/26/2019

1190 N Lake St

Batch#: LOT # K9060

Completed: 01/13/2020

Pasadena, CA 91104

Microbials

Pass

Testing method: PCR-SOP 400

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 12/27/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mycotoxins

Pass

Testing method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.0036	0.012		ND	Tested
Aflatoxin B2	0.0092	0.031		ND	Tested
Aflatoxin G1	0.0058	0.019		ND	Tested
Aflatoxin G2	0.0034	0.011		ND	Tested
Total Aflatoxins			20.0	ND	Pass
Ochratoxin A	0.0113	0.038	20.0	ND	Pass

Date Tested: 12/27/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Pass

Testing method: ICPMS-SOP 502

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	1.5	ND	Pass
Cadmium	0.03	0.1	0.5	ND	Pass
Lead	0.002	0.005	0.5	0.048	Pass
Mercury	0.02	0.06	3.0	ND	Pass

Date Tested: 12/27/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 01/13/2020

 Anya Engen
 Quality Review
 01/13/2020

 Amanda Bravo
 COA Review
 01/13/2020

National Releaf Body Lotion 750mg/75ml

Sample ID: 1912CSALA1785.9311

Strain: National Lotion

Matrix: Topical

Client

Type: Lotion

Produced: N/A

P&B Essentials, LLC

Sample Size: 1 units

Collected: 12/26/2019

Lic. #

Batch Size:

Received: 12/26/2019

1190 N Lake St

Batch#: LOT # K9060

Completed: 01/13/2020

Pasadena, CA 91104

Residual Solvents

Pass

Testing method: HSGCMS-SOP 202

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0		ND	Tested
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0		ND	Tested
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 12/27/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 01/13/2020

 Anya Engen
 Quality Review
 01/13/2020

 Amanda Bravo
 COA Review
 01/13/2020