

1500mg Gel Caps

FARM BILL
COMPLIANTSAMPLE ID
233950SAMPLE NAME
1500mg Gel CapsMATRIX
CapsuleBATCH ID
20591COLLECTED, RECEIVED
10/02/2020 14:23, 10/02/2020 14:23SERVING SIZE, SERVINGS PER PACKAGE
1 Bottle, 1MANUFACTURER INFO
**CBD Living Water
705 E Harrison St Ste 100
Corona, CA 92879****TOTAL
CBD****1696**
MG PER SERVING**TOTAL
D9-THC****ND**
MG PER SERVING**TOTAL
CANNABINOIDS****1759**
MG PER SERVING

Indicates that the hemp product passes some of the strictest testing standards available for cannabis and hemp.



1801 Carnegie Ave, Santa Ana CA 92705
License: C8-0000012-LIC
(949) 329-8378
www.cannalysis.com

PAGE 1 OF 2SAMPLE ID: 233950 | REPORT ID: COA-00081463
Exp: 10/19/2021 | ISO/IEC 17025:2017 Accredited | #93948



CANNABINOID ANALYSIS

TOTAL THC: ND
 TOTAL CBD: 1696 mg per serving (113.1 mg/g) (11.31 %), 1696.5 mg per package
 TOTAL CANNABINOIDS: 1759 mg per serving (117.3 mg/g) (11.73 %)

UNIT OF MEASUREMENT: Milligrams per Gram(mg/g)

ANALYTE	RESULT	LOD	LLOQ	ANALYTE	RESULT	LOD	LLOQ
THCa	ND	0.1000	0.2000	CBDv	0.5301 mg/g (0.0530 %)	0.1000	0.2000
D9THC	ND	0.1000	0.2000	CBGa	ND	0.1000	0.2000
D8THC	ND	0.1000	0.2000	CBG	2.945 mg/g (0.2945 %)	0.1000	0.2000
THCv	ND	0.1000	0.2000	CBN	0.7406 mg/g (0.0741 %)	0.1000	0.2000
CBDa	ND	0.1000	0.2000	CBC	ND	0.1000	0.2000
CBD	113.1 mg/g (11.31 %)	0.1000	0.2000				

ADDITIONAL INFORMATION

Method: SOP-TECH-001
 Instrument: UPLC-DAD

Sample Prepped: 10/06/2020 11:32
 Sample Analyzed: 10/06/2020 14:12

Sample Approved: 10/07/2020 13:32
 Prep-Analytical Batch: 21779-16716

This report applies to the sample investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. This report provides technical results for a specific sample and the report shall not be altered, modified, supplemented, or abstracted in any manner. Any violation of these conditions renders the report and its results void.

All LQC samples required by state regulations were performed and met the acceptance criteria.

THIS COA WAS REVIEWED AND APPROVED ON 10/19/2020 IN ACCORDANCE WITH REGULATORY REQUIREMENTS



Kathryn Riker
 Quality Control Manager

